

WISEAL V2

Twiseal V2 is a transparent, tamper-evident security seal featuring a rotating internal core. A sealing wire is inserted and twisted around the core to secure the asset. Once locked, the break-off tab prevents the seal from being reopened without visible evidence of tampering.

Material

- ◆ Body : Polycarbonate (PC)
- ◆ Core : POM

Printing & Marking

- ◆ Laser
- ◆ Name / Logo
- ◆ Sequential Numbering
- ◆ Barcode / QR Code

Applications


- ◆ Utility Meters
- ◆ Security Boxes
- ◆ Gaming Machines
- ◆ Oil Tankers

Colour



Product Code	Dimension					Packaging		
	Total Length TOL (mm)	Width W (mm)	Thickness T (mm)	Tag Length TL (mm)	Tag Width TW (mm)	Quantity per box (pieces)	Weight per box (kg)	Box Dimension L x W x H (mm)
TWI V2 LT	71.1	16.4	1.8	40.0	18.4	1000	4.60	485 x 200 x 165
TWI V2 ST	46.1	16.4	1.8	15.0	18.4	1000	3.50	280 x 210 x 210

Note : Tag available in opaque & transparent



TWISEAL V2 ST

TWISEAL V2 LT

WISEAL CC

Twiseal CC is a transparent security seal with a rotating core secured by a collar. The core is available in various colours for easy identification, and the seal can be supplied with pre-inserted wire in custom lengths to suit different applications.

Material

- ◆ Body : Polycarbonate (PC)
- ◆ Core : POM
- ◆ Collar : ABS

Printing & Marking

- ◆ Laser
- ◆ Name / Logo
- ◆ Sequential Numbering
- ◆ Barcode / QR Code

Applications


- ◆ Utility Meters
- ◆ Security Boxes
- ◆ Gaming Machines
- ◆ Oil Tankers

Colour



Product Code	Dimension					Packaging			
	Total Length TOL (mm)	Width W (mm)	Thickness T (mm)	Tag Length TL (mm)	Tag Width TW (mm)	Quantity per mat (pieces)	Quantity per box (pieces)	Weight per box (kg)	Box Dimension L x W x H (mm)
TWI CC	40.4	18.0	1.8	22.3	16.3	5	1000	4.6	440 x 210 x 160

Range of Wires available:



WISEAL CC WP

Twiseal CC is a transparent security seal with a rotating core secured by a collar. The core is available in various colours for easy identification, and the seal can be supplied with pre-inserted wire in custom lengths to suit different applications.

Material

- ◆ Body : Polycarbonate (PC)
- ◆ Core : POM
- ◆ Collar : ABS

Printing & Marking

- ◆ Laser
- ◆ Name / Logo
- ◆ Sequential Numbering
- ◆ Barcode / OR Code

Applications

- ◆ Utility Meters
- ◆ Security Boxes
- ◆ Gaming Machines
- ◆ Oil Tankers

Colour



Product Code	Dimension					Packaging			
	Total Length TOL (mm)	Width W (mm)	Thickness T (mm)	Tag Length TL (mm)	Tag Width TW (mm)	Quantity per mat (pieces)	Quantity per box (pieces)	Weight per box (kg)	Box Dimension L x W x H (mm)
TWI CC WP	41.5	15	1.8	26.5	13	5	1000	4.6	440 x 210 x 160

Range of Wires available:



Plastic Coated Wire

Diameter : 0.8 mm
Material : Stainless Steel



Stainless Steel Wire

Diameter : 0.7 mm
Material : Stainless Steel



Galvanised Twisted Wire

Diameter : 0.5 mm + 0.3mm
Material : Galvanised Steel



Copper Wire

Diameter : 0.5 mm + 0.4mm
Material : Copper

